



BUSINESS ENVIRONMENTAL PROGRAM
NEVADA

SQG CENTRAL ACCUMULATION AREA WEEKLY INSPECTION TOOL

Small quantity generators (SQGs) can use this tool to record observations made during weekly inspections of their hazardous waste central accumulation area. Keep completed tool on file for three (3) years. Contact BEP for free, confidential assistance with weekly inspections.

	YES	NO	REQUIREMENT	REGULATION
CONTAINER REQUIREMENTS	<input type="checkbox"/>	<input type="checkbox"/>	Accumulation start dates are ≤180 days old unless an extension has been approved by the state, or the accumulation start dates are ≤270 days old if shipped ≥200 miles offsite.	§262.16(b-d)
	<input type="checkbox"/>	<input type="checkbox"/>	The quantity of hazardous waste accumulated onsite is ≤6,000 kg (13,278 lbs).	§262.16(b)(1)
	<input type="checkbox"/>	<input type="checkbox"/>	Container is in good condition with no leaks, corrosion, or deterioration.	§262.16(b)(2)(i)
	<input type="checkbox"/>	<input type="checkbox"/>	Container is made of or lined with materials that are compatible with the waste.	§262.16(b)(2)(ii)
	<input type="checkbox"/>	<input type="checkbox"/>	Container is closed except when actively adding or removing waste; no open funnels.	§262.16(b)(2)(iii)(A)
	<input type="checkbox"/>	<input type="checkbox"/>	Container is not opened, handled, or stored in a way that would cause it to rupture or leak.	§262.16(b)(2)(iii)(B)
	<input type="checkbox"/>	<input type="checkbox"/>	Only compatible wastes are accumulated in the container, and the container is separated from nearby incompatible materials.	§262.16(b)(2)(v)
	<input type="checkbox"/>	<input type="checkbox"/>	Container is marked with the words "Hazardous Waste" and an indication of the hazards of the contents, such as its characteristics, pictograms, DOT hazard labeling, or others.	§262.16(b)(6)(i) (A-B)
	<input type="checkbox"/>	<input type="checkbox"/>	Container is marked with the accumulation start date.	§262.16(b)(6)(i)(C)
	<input type="checkbox"/>	<input type="checkbox"/>	Container is marked with the EPA Hazardous Waste Number.	NAC 444.8671
PREPAREDNESS AND PREVENTION	<input type="checkbox"/>	<input type="checkbox"/>	Area is maintained and operated to minimize the possibility of fire, explosions, or spills.	§262.16(b)(8)(i)
	<input type="checkbox"/>	<input type="checkbox"/>	Area is equipped with the following emergency response equipment:	§262.16(b)(8)(ii)
	<input type="checkbox"/>	<input type="checkbox"/>	1. Internal communications or alarm system for providing emergency instruction to staff;	
	<input type="checkbox"/>	<input type="checkbox"/>	2. Communication device for summoning local emergency responders;	
	<input type="checkbox"/>	<input type="checkbox"/>	3. Fire extinguishers, fire control, spill control, and decontamination equipment;	
	<input type="checkbox"/>	<input type="checkbox"/>	4. Adequate water supply for fire suppression systems and foam producing equipment.	
	<input type="checkbox"/>	<input type="checkbox"/>	Emergency equipment is tested and maintained to ensure it is functional.	§262.16(b)(8)(iii)
	<input type="checkbox"/>	<input type="checkbox"/>	Staff have immediate access to communication equipment when handling hazardous waste.	§262.16(b)(8)(iv)
	<input type="checkbox"/>	<input type="checkbox"/>	Adequate aisle space is provided for unobstructed movement of emergency personnel.	§262.16(b)(8)(v)
	<input type="checkbox"/>	<input type="checkbox"/>	Emergency information is posted next to telephones or in areas directly involved in the generation and accumulation of hazardous waste.	§262.16(b)(9)(ii)
<input type="checkbox"/>	<input type="checkbox"/>	An attempt was made to make arrangements with local emergency responders; records of attempt(s) maintained on site.	§262.16(b)(8)(vi)	

Notes on corrective actions taken for any items not in compliance: _____

Inspector Name(s): _____

Date: _____ Time: _____